

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LANASET® VIOLET B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Textile dye

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Textile Effects
Address : Klybeckstrasse 200
CH-4057 Basel
Switzerland
Telephone : +41 61 299 11 11
Company : Huntsman Textile Effects c/o Huntsman Textile Effects
(Germany) GmbH
Address : Rehlinger Straße 1
D-86462 Langweid
Germany
Telephone : +49 8230 410
Telefax : +49 8230 41 370
E-mail address of person responsible for the SDS : pehs_te@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Europe: +32 35751234
Americas: +1 703 527 3887
Africa: +32 35751234
Asia & Pacific: +65 6336 6011
China: +86 20 39377888
+86 532 83889090
India: + 91 22 42 87 5333
USA & Canada: 800 424 9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version 1.0 Revision Date: 23.01.2017 SDS Number: 400001005625 Date of last issue: -
Date of first issue: 23.01.2017

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Additional Labelling:

EUH208 Contains: Sodium Bis[2-[[[3-[[1-[(2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate, Sodium bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2-)]chromate(1-). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Sodium 2(or 5)-[[1-amino-4-[[3-[[[(chloroacetyl)amino]methyl]-2,4,6-trimethylphenyl]amino]-9,10-dihydro-9,10-dioxo-2-anthryl]oxy]-5(o	72391-23-2 276-634-9 01-2120064917-45	Aquatic Chronic 3; H412	60 - 100
Sodium 2-[methyloleoylamino]ethane-1-sulphonate	137-20-2 205-285-7 -	Eye Irrit. 2; H319	1 - 3
Tetrasodium bis[2-[[[3-[[1-[(2-chloroanilino)carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulphonyl]amino]benzoato(3-)]cobaltate(4-)	70851-34-2 274-929-7 01-2120065791-52	Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0.1 - 1
Sodium bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2-)]chromate(1-)	41741-86-0 255-527-0 -	Skin Sens. 1; H317 Aquatic Chronic 3; H412	0.1 - 1

For explanation of abbreviations see section 16.

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Specific extinguishing methods : No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Wash hands before breaks and at the end of workday.

LANASET® VIOLET B

Version 1.0 Revision Date: 23.01.2017 SDS Number: 400001005625 Date of last issue: -
Date of first issue: 23.01.2017

Dust explosion class : St1

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No hazardous decomposition products are known.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sodium Bis[2-[[[3-[[1-[[2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoate] cobaltate	70851-34-2	TWA	0,1 mg/m ³ (Cobalt)	GB EH40
Further information	Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological, irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even to tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. 54 Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified asthmagens or respiratory sensitisers., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that			

LANASET® VIOLET B

Version 1.0 Revision Date: 23.01.2017 SDS Number: 400001005625 Date of last issue: -
Date of first issue: 23.01.2017

exposure be reduced as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma. The identified substances are those which: - are assigned the risk phrase 'R42: May cause sensitisation by inhalation'; or 'R42/43: May cause sensitisation by inhalation and skin contact' or - are listed in section C of HSE publication 'Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma' as updated from time to time, or any other substance which the risk assessment has shown to be a potential cause of occupational asthma., Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used, Carcinogenic applies for cobalt dichloride and sulphate., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma.

8.2 Exposure controls

Personal protective equipment

- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Remarks : The suitability for a specific workplace should be discussed
with the producers of the protective gloves.
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and
concentration of the dangerous substance at the work place.
- Respiratory protection : Use respiratory protection unless adequate local exhaust
ventilation is provided or exposure assessment demonstrates
that exposures are within recommended exposure guidelines.
- Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : powder
- Colour : violet
- Odour : odourless
- Odour Threshold : No data is available on the product itself.

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

pH : 6 - 7
Concentration: 20 g/l

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : No data is available on the product itself.

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : Not expected to form explosive dust-air mixtures.

Burning rate : Fire will spread by smouldering or slow decomposition.

Upper explosion limit : No data is available on the product itself.

Lower explosion limit : No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0,53 g/cm³
Bulk density

Solubility(ies)
Water solubility : 60 g/l (30 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-
octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 135 °C

Viscosity : No data is available on the product itself.

Explosive properties : No data is available on the product itself.

Oxidizing properties : None.

9.2 Other information

Impact sensitivity : Not impact sensitive.
Method: Other guidelines

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Dust explosion class : St1

Self-ignition : 460 °C
Method: BAM

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Stable under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity - Product : LD50 (Rat): > 5 000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Serious eye damage/eye irritation

Product:

Remarks: Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Assessment: No data available

Germ cell mutagenicity

Components:

Benzenesulfonic acid, 2(or 5)-[[1-amino-4-[[3-[[[(chloroacetyl)amino]methyl]-2,4,6-trimethylphenyl]amino]-9,10 dihydro-9,10-dioxo-2-anthracenyl]oxy]-5(or 2)-(1,1-dimethylethyl)-, monosodium salt:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Sodium Bis[2-[[[3-[[1-[[2-chlorophenyl]amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : No data available

Carcinogenicity

No data available

Carcinogenicity - Assessment : No data available

Reproductive toxicity

Components:

Sodium Bis[2-[[[3-[[1-[[2-chlorophenyl]amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 422
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

development

Reproductive toxicity - Assessment : No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

Sodium Bis[2-[[[3-[[1-[[[(2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Species: Rat, male and female

LOAEL: 100

Application Route: Ingestion

Method: Subacute toxicity

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Neurological effects

No data available

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 : 40 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 68 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Components:

Benzenesulfonic acid, 2(or 5)-[[1-amino-4-[[3-[[[(chloroacetyl)amino]methyl]-2,4,6-trimethylphenyl]amino]-9,10 dihydro-9,10-dioxo-2-anthracenyl]oxy]-5(or 2)-(1,1-dimethylethyl)-, monosodium salt:

Toxicity to fish : LC50 : 40 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 68,2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC0 (Daphnia magna (Water flea)): 17,6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 : > 11,2 mg/l
Exposure time: 7 Days
Method: OECD Test Guideline 221
GLP: yes

NOEC : 0,121 mg/l
Exposure time: 7 Days
Method: OECD Test Guideline 221
GLP: yes

Toxicity to microorganisms : IC50 : 32 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Sodium Bis[2-[[[3-[[1-[[2-chlorophenyl]amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 0,52 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 30,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Lemna gibba (gibbous duckweed)): > 96 mg/l
Exposure time: 168 h
Method: OECD Test Guideline 221

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : IC50 : > 320 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Sodium bis[2-[[4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl]azo]benzoato(2-)]chromate(1-):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Biodegradation: 80 - 90 %
Exposure time: 28 d
Method: OECD Test Guideline 303 A

Biochemical Oxygen Demand (BOD) : 50 mgO₂/g

Chemical Oxygen Demand (COD) : 1100 mgO₂/g

Components:

Benzenesulfonic acid, 2(or 5)-[[1-amino-4-[[3-[[chloroacetyl]amino]methyl]-2,4,6-trimethylphenyl]amino]-9,10 dihydro-9,10-dioxo-2-anthracenyl]oxy]-5(or 2)-(1,1-dimethylethyl)-, monosodium salt:

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Biodegradability : Result: Not inherently biodegradable.
Biodegradation: 23 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Biochemical Oxygen Demand (BOD) : 0 mgO₂/g
Incubation time: 5 d
Method: Directive 67/548/EEC, Annex V, C.5
GLP: yes

Chemical Oxygen Demand (COD) : 1542 mgO₂/g

Sodium Bis[2-[[[3-[[1-[(2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Biodegradability : Biodegradation: 0,3 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Biochemical Oxygen Demand (BOD) : 0 mg/g
Incubation time: 5 d
Method: Directive 67/548/EEC, Annex V, C.5
GLP: yes

Chemical Oxygen Demand (COD) : 892 mg/g

Stability in water : Degradation half life (DT50): 3 697 hrs (20 °C)
pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Sodium bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2-)]chromate(1-):

Biochemical Oxygen Demand (BOD) : 0 mgO₂/g
Incubation time: 16 d
Method: Directive 67/548/EEC, Annex V, C.5

Chemical Oxygen Demand (COD) : 1 516 mg/g

12.3 Bioaccumulative potential

Components:

Benzenesulfonic acid, 2(or 5)-[[1-amino-4-[[3-[[[(chloroacetyl)amino]methyl]-2,4,6-trimethylphenyl]amino]-9,10 dihydro-9,10-dioxo-2-anthracenyl]oxy]-5(or 2)-(1,1-dimethylethyl)-, monosodium salt:

Partition coefficient: n-octanol/water : log Pow: < 3
Method: No information available.

Sodium Bis[2-[[[3-[[1-[(2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Partition coefficient: n-octanol/water : log Pow: 1,24 (20 °C)

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

octanol/water Method: OECD Test Guideline 107

Sodium bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2-)]chromate(1-):

Partition coefficient: n-octanol/water : log Pow: < 3 (20 °C)
Method: No information available.

12.4 Mobility in soil

Components:

Sodium Bis[2-[[[3-[[1-[(2-chlorophenyl)amino]carbonyl]-2-oxopropyl]azo]-4-hydroxyphenyl]sulfonyl]amino]benzoato] cobaltate:

Distribution among environmental compartments : Koc: < 1,5
Method: OECD Test Guideline 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Adsorbed organic bound halogens (AOX) : 3.4 %
Test substance: Chloro

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Components:

Sodium bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2-)]chromate(1-):

Adsorbed organic bound halogens (AOX) : 0 %

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Do not re-use empty containers.

SECTION 14: Transport information

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

ADR

Not regulated as dangerous goods

RID

Not regulated as dangerous goods

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the Canadian NDSL.

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Low volume exemption

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Full text of H-Statements

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Irrit. : Eye irritation
Skin Sens. : Skin sensitisation

Further information

Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

LANASET® VIOLET B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.01.2017	400001005625	Date of first issue: 23.01.2017

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.